

2-17-87  
D. Butlers / R. Balken

T@ o.c.m. 'B'  
Exchange Rd.

o.c.m. 'A'  
Exchange Rd.

D 0° 00' 11" 09"

R 180° 00' 07"

30 H D 77° 02' 23" 23

R 257° 02' 23"

M 77° 02' 14"

o.c.m. 'A'  
Exchange Rd.

D 90° 05' 40" 36.5

R 270° 05' 33"

30 H D 167° 07' 49" 47

R 347° 07' 45"

M 77° 02' 10.5" ✓

F.M. 77° 02' 12.25" ✓

Dist to o.c.m. 'B' = 574.03

Dist to 30 H = 2509.73

T@ 30 L

30 H D 0° 00' 08" 11

R 180° 00' 14"

30 M D 225° 45' 35" 30

R 45° 45' 37"

M 225° 45' 25"

30 H D 90° 05' 40" 41.5

R 270° 05' 43"

30 M D 315° 51' 03" 03.5

R 135° 51' 04"

M 225° 45' 22" ✓

F.M. 225° 45' 23.5

DIST TO 30 H = 205.96

DIST TO 30 M = 950.85

T@ 30 K

Dist to 30 F = 1169.38

Dist to 30 K1 = 1169.93

Dist to 30 H = 2284.86