

- Blue Creek Canal -

- Thence S 44° 09' W.
 416.4 set a pine stake 2" x 2" x 15" long 9" in the ground for Station N^o 20.
 Thence S 34° 35' W.
 4.9 set a pine stake 2" x 2" x 15" long 9" in the ground, on the section line between sections 20 and 29. 320.5 ft N 89° 58' E from the corner to Sec^s 19-20-29 and 30. Tp. 11 N. - R. 5. W. which is a limestone 7" x 8" firmly set, with 5" x 1" x 2" m.s.
 569.5 set a pine stake 2" x 2" x 15" long 9" in the ground, on the section line between sections 29 & 30. 464.2 ft S. from the corner to Sec^s 19-20-29-30.
 696. set a pine stake 2" x 2" x 15" long 9" in the ground, for Station N^o 21.
 Thence S 17° 42' W.
 446.5 set a pine stake 2" x 2" x 15" long 9" in the ground, for Station N^o 22.
 Thence S 31° 14' W.
 818.2 set a pine stake 2" x 2" x 15" long 9" in the ground for Station N^o 23.
 Thence S 8° 20' E.
 754. set a pine stake 2" x 2" x 15" long 9" in the ground for Station N^o 24.
 Thence S 14° 43' W.
 921.1 set a pine stake 2" x 2" x 15" long 9" in the ground for Station N^o 25.
 Thence N. 89° 20' W.
 301. set a pine stake 2" x 2" x 15" long 9" in the ground for Station N^o 26.
 Thence S 57° 26' W.
 356.6 set a pine stake 2" x 2" x 15" long 9" in the ground for Station N^o 27. *descending around m.*
 Thence S 22° 20' W.
 739.8 set a pine stake 2" x 2" x 15" long 9" in the ground for Station N^o 28. *descending around point of W.*
 Thence S 33° 26' W.
 196.8 set a pine stake 2" x 2" x 15" long 9" in the ground for Station N^o 29. *on well grade of canal.*
 Thence S 46° 16' W.
 800.2 set a pine stake 2" x 2" x 15" long 9" in the ground for Station N^o 30.
 Thence S 49° 23' W.
 564.1 set a pine stake 2" x 2" x 15" long 9" in the ground, for Station N^o 31, the terminus of this Canal, (upon the Sec. line between Sec^s 30-31, 2753.2 ft S 89° 51' W. from the corner to Sec^s 29-30-31-32. Tp. 11 N. R. 5. W. S. L. N. ^{1/4} cor. on the 1/4 Sec. line bet. Sec^s 30-31, 113.4 ft S 89° 51' W. from 1/4 Sec. on which is a lime-stone 6" x 10" firmly set, marked 1/4 on N. face. *Revised*) on the 1/4 Sec. line bet. Sec^s 30-31, 113.4 ft S 89° 51' W. from 1/4 Sec. on which is a lime-stone 6" x 10" firmly set, marked 1/4 on N. face.
 Total length of canal 2.347 miles.

next sheet p. 10, 76-77

- Blue Creek Reservoir -

Description of the true bearings and the corners, as located, along the proposed water-line of the Blue Creek Reservoir.

Beginning at the initial point of this survey, on the westerly side-line of this Reservoir, which is identical with the initial point of the survey of the Blue Creek Canal, at a pine stake 2" x 2" x 15" long 9" in the ground, marked Sta. O. from which the Quar. Sec. Cor. on the line between Sec^s 19-20. Tp. 11 N. R. 5. W. bears S 66° 17' W. true course, 1557.4 ft distant. The said 1/4 cor. is a sand-stone, 8" x 10" firmly set, marked 1/4 on N. face.

- Thence I run N 46° 02' W.
 along the westerly line of the proposed reservoir, centre of Blue Creek adjoining westerly.
 51. set a pine stake 2" x 2" x 15" long 9" in the ground for Corner N^o 1.
 561. Thence N 44° 27' E.
 691.4 set a pine stake 2" x 2" x 15" long 9" in the ground for Corner N^o 2.
 Thence N 37° 01' E.
 425. set a pine stake 2" x 2" x 15" long 9" in the ground for Corner N^o 3.
 Thence N 47° 46' E.
 451.1 set a pine stake 2" x 2" x 15" long 9" in the ground for Corner N^o 4.
 Thence N 21° 42' E.
 75.6 set a pine stake 2" x 2" x 15" long 9" in the ground for Corner N^o 5.