

Friday August 30th

on true line

N. 86. S. Sec 26-35

on a true line, descending

- 800 12.12 ✓ 1 ravine S 45° W, 20 ft deep. 200 ch wide.
- 1200 18.18 ✓ " S 10° " " 2 " "
- 1400 21.21 ✓ ridge S 45° W, thence ascend
- 1770 26.31 ✓ ravine 100 ft deep, 6 ch wide S 10° W, thence descend
- 2150 32.57 ✓ ravine 50 ft deep 8 ch W. S
- 2300 38.02 ✓ ridge S, thence descend
- 2600 40.00 ✓ set boulder stone 14 x 6 x 6 qm in ground for cor. marked 14 on N. face. raised mound of lava N. of cor.
- 2960 44.84 ✓ bottom of ravine 300 ft deep 10 ch wide S.
- 3450 52.7 ✓ top ridge S 10° E, thence descend
- 4050 61.36 ✓ ridge S 40° W, thence descend
- 4800 72.7 ✓ bottom of ravine S 45° W, 17 ch
- 5037 76.32 ✓ I intersect the sec. line 113. Ft. 302 41' W from the established cor. to Sec 26-27-34-35 which is a boulder stone 21 x 12 x 17, roughly, marked and surrounded as described by the Surveyor. At this point set a boulder stone 15 x 8 x 6 qm for closing cor. marked C. C on E, 45 grooves on + 1 groove on N. edge. for closing cor. to Sec 26-35.

From Cor. to Sec 26-27-34-35 I ran

do N. on true line between Sec 27 & 34. 243. ft = 363 set boulder stone 14 x 12 x 8 qm in ground for closing cor. to Sec 26 & 27. from which I ran N 02 09 E. Between Sec 26 & 27.

Ascending ravine

- 3525 53.4 ✓ hub, on top of ridge N. 86. Harris Can 4, W. W. thence onto rolling ground sloping N.
- 1272 19.28 ✓ hub, on ridge E 4 W, thence ascend into Harris Can, S. zone
- 2470 37.62 ✓ bottom of Harris Can, E 4 W, N 78° W. S 78° E
- 2504 37.94 ✓ top of ridge N. 78° W. S 75° E
- 2545 38.02 ✓ top of ridge N. 78° W. S 75° E
- 2590 39.24 ✓ begin to ascend N. side of Jock Harris Can, N 55° W.
- 2745 41.59 ✓ top ridge N, thence descend into N. Jock Harris
- 2900 43.94 ✓ foot of ridge on S. side N. Jock Harris, N 47° E
- 2958 44.81 ✓ dry creek bed ravine, S 47° W thence ascend gentle S
- 3020 45.75 ✓ wagon road N 78° W. S 75° E. N 49° E S 49° W.
- 3190 48.33 ✓ begin to ascend steep side of cañon, N 60° E
- 4350 65.90 ✓ Puffin bear, S 35° E. thence descend into ravine N 50° E
- 4760 72.12 ✓ bottom of ravine S 40° E,
- 5107 78.29 ✓ set boulder stone 16" x 12 x 6 qm in ground for cor. to Sec 22-23-26 & 27 marked 2 grooves on E & 2 grooves on S edge. raised mound of stone 2 ft high 1 ft high N. of cor.