

57

Sta.

Red

Black

Green

Remarks

Sta.	Red	Black	Green	Remarks
		4279.20		H.I.
23	3.52	75.68		
24	4.03	75.17		
25	4.38	74.82		
26	4.57	74.63		
27	4.83	74.37		
28	5.40	73.90		
	-5.45	4273.75		
	+4.28	4278.03		H.I.
+85.4	4.53	73.50		
29	4.52	73.51		
B.M.	-3.56	4274.47	✓	on top Concrete waterway 20
	+3.48	4277.95	✓	H.I. 127+63
30	4.62	73.33		
31	4.30	73.65		to of culvert
B.M.	4.10	73.85		on concrete top 20 ft. high
32	5.23	72.72		
	-5.23	4272.72	✓	
	+3.65	4276.37	✓	H.I.
33	4.32	72.05		
34	4.30	72.07		
35	4.58	71.79		
36	5.43	70.94		
37	6.00	70.37		
	-6.00	4270.37	✓	
	+4.02	4274.39	✓	H.I.
38	4.26	70.18		
39	4.47	69.92		
B.M.	4.77	4269.62	✓	on End lower concrete steps 5-10 38+7
40	4.80	69.59		
41	5.08	69.31		
B.M.	3.90	70.49		on S.E. Cor. porch Top Rt. Sta. 40+89
42	5.60	68.79		
	-5.60	4268.79	✓	
	+3.32	4272.11	✓	H.I.
43	3.84	68.27		
44	4.30	67.81		
	6.37	65.74		
45	4.39	67.72		on surf. water in Slough 20 L.
46	4.62	67.49		
	-4.62	4267.49	✓	
	+3.77	4271.26	✓	H.I.
B.M.	1.25	70.01		on concrete top of
47	4.18	67.08		on top 100 S of 45+2
48	4.53	66.73		
B.M.	3.70	67.56		on W. end concrete steps 100 S of 48+2
49	5.11	66.15		
50	5.46	65.30		
51	5.95	65.31		
	-5.95	4265.31	✓	
	+4.33	4269.64	✓	H.I.
52	4.21	65.43		
53	4.40	65.24		
54	4.79	64.85		
B.M.	4.06	4265.58	✓	on S.E. Cor. porch Rt. of 54+2.6
55	4.47	64.17		
56	4.61	63.93		
	-4.60	4265.04	✓	
	+4.56	4269.50	✓	H.I.
57	4.20	65.40		
58	3.77	65.83		
59	3.23	66.37		
+50	2.49	67.31		
59	0.99	68.61		
	10.55	59.05		bottom Hooper Canal
	-0.32	4267.29	✓	
	+6.54	4275.82	✓	H.I.
+2.6	6.30	69.52		E. edge Hooper bridge
+4.5	5.74	70.08		W "
+5.0	5.35	70.47		" "
60	2.52	73.30		
+5.0	0.22	75.60		
	-0.22	4275.60	✓	
	+6.23	4281.83	✓	H.I.
61	4.14	77.69		
+5.0	2.59	79.26		
62	1.63	80.15		
	-1.81	4280.02	✓	
	+5.37	4285.39	✓	